

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(stack same (wood or plywood)) and ((adhesive or binder or glue) same gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:39
S2	669	((wood or plywood)) and (adhesive or glue or binder) and ((speed near2 control) or tachometer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S3	42	"156"/\$.ccls. and (plywood same ((cure or curing) near4 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S4	12	"156"/\$.ccls. and (plywood same (pot near4 life))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S5	7	"156"/\$.ccls. and (plywood same ((set or setting) near4 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S6	25	plywood and laminat\$3 and (adhesive same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S7	8	plywood and laminat\$3 and (adhesive same gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S8	59	plywood and laminat\$3 and (adhesive same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S9	42	plywood and laminat\$3 and (adhesive same accelerator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S10	62	plywood and laminat\$3 and (adhesive same hardener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40

S11	199	plywood and laminat\$3 and (adhesive same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S12	5	wood and stack and laminat\$3 and (adhesive same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S13	104	wood and laminat\$3 and (adhesive same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S14	10	wood and stack and laminat\$3 and (adhesive same gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S15	39	stack and wood and laminat\$3 and (adhesive same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S16	12	stack and wood and laminat\$3 and (adhesive same accelerator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S17	12	stack and wood and laminat\$3 and (adhesive same hardener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S18	59	stack and wood and laminat\$3 and (adhesive same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:40
S19	136	(stack same laminat\$3) and (adhesive same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S20	14	(stack same laminat\$3) and (adhesive same hardener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41

S21	622	(156/295).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S22	22	(stack same laminat\$3) and (adhesive same accelerator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S23	67	(stack same laminat\$3) and (adhesive same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S24	23	(stack same laminat\$3) and (adhesive same gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S25	13	(stack same laminat\$3) and (adhesive same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 18:14
S26	53	(stack same laminat\$3) and (pot near2 life)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S27	188	(stack same laminat\$3) and ((cure or curing) near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S28	201	(stack same laminat\$3) and ((set or setting) near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S29	3	(stack same plywood) and (adhesive same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S30	5	(stack same plywood) and ((adhesive or binder or glue) same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41

S31	18	(stack same (wood or plywood)) and ((adhesive or binder or glue) same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S32	6	(stack same (wood or plywood)) and ((adhesive or binder or glue) same hardener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S33	3	(stack same (wood or plywood)) and ((adhesive or binder or glue) same accelerator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S34	9	(stack same (wood or plywood)) and ((adhesive or binder or glue) same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S35	2	(stack same (wood or plywood)) and ((adhesive or binder or glue) same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S36	243	(156/356).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S37	188	(156/357).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S38	278	(156/362).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41
S39	4	(stack same (wood or plywood)) and (adhesive or glue or binder) and ((speed near2 control) or tachometer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:41

S40	1160	(156/64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:42
S41	5	((wood or plywood)) same (adhesive or glue or binder) same ((speed near2 control) or tachometer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:42
S42	2097	((156/297) or (156/298) or (156/299) or (156/300)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:43
S43	205	(156/360).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:43
S44	349	(156/358).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:43
S45	320	(156/363).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 17:56
S46	2	plywood and laminat\$3 and (glue near2 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:43
S47	71	plywood and laminat\$3 and (adhesive near3 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/08 16:43
S48	8	plywood and laminat\$3 and (glue near4 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 16:43
S49	1	plywood and laminat\$3 and (glue near2 pattern)	USOCR	OR	OFF	2004/01/08 16:43

S50	9	plywood and laminat\$3 and (adhesive near3 pattern)	USOCR	OR	OFF	2004/01/08 16:43
S51	2	plywood and laminat\$3 and (glue near2 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/08 16:43
S52	1	("3582428").PN.	USPAT; USOCR	OR	OFF	2004/01/08 17:56
S53	0	(stack same (wood or plywood)) and ((adhesive or binder or glue) same gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S54	760	((wood or plywood)) and (adhesive or glue or binder) and ((speed near2 control) or tachometer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S55	42	"156"/\$.ccls. and (plywood same ((cure or curing) near4 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S56	12	"156"/\$.ccls. and (plywood same (pot near4 life))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S57	7	"156"/\$.ccls. and (plywood same ((set or setting) near4 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S58	28	plywood and laminat\$3 and (adhesive same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S59	8	plywood and laminat\$3 and (adhesive same gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S60	70	plywood and laminat\$3 and (adhesive same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05

S61	45	plywood and laminat\$3 and (adhesive same accelerator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S62	66	plywood and laminat\$3 and (adhesive same hardener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S63	223	plywood and laminat\$3 and (adhesive same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 20:24
S64	5	wood and stack and laminat\$3 and (adhesive same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S65	118	wood and laminat\$3 and (adhesive same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S66	13	wood and stack and laminat\$3 and (adhesive same gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S67	47	stack and wood and laminat\$3 and (adhesive same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S68	12	stack and wood and laminat\$3 and (adhesive same accelerator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S69	13	stack and wood and laminat\$3 and (adhesive same hardener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S70	69	stack and wood and laminat\$3 and (adhesive same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05

S71	151	(stack same laminat\$3) and (adhesive same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S72	16	(stack same laminat\$3) and (adhesive same hardener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S73	801	(156/295).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S74	24	(stack same laminat\$3) and (adhesive same accelerator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S75	87	(stack same laminat\$3) and (adhesive same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S76	28	(stack same laminat\$3) and (adhesive same gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S77	15	(stack same laminat\$3) and (adhesive same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S78	58	(stack same laminat\$3) and (pot near2 life)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S79	223	(stack same laminat\$3) and ((cure or curing) near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S80	219	(stack same laminat\$3) and ((set or setting) near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05

S81	3	(stack same plywood) and (adhesive same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S82	5	(stack same plywood) and ((adhesive or binder or glue) same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S83	21	(stack same (wood or plywood)) and ((adhesive or binder or glue) same catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S84	6	(stack same (wood or plywood)) and ((adhesive or binder or glue) same hardener)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S85	3	(stack same (wood or plywood)) and ((adhesive or binder or glue) same accelerator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S86	9	(stack same (wood or plywood)) and ((adhesive or binder or glue) same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S87	2	(stack same (wood or plywood)) and ((adhesive or binder or glue) same inhibitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S88	292	(156/356).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S89	265	(156/357).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05

S90	336	(156/362).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S91	4	(stack same (wood or plywood)) and (adhesive or glue or binder) and ((speed near2 control) or tachometer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S92	1335	(156/64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S93	6	((wood or plywood)) same (adhesive or glue or binder) same ((speed near2 control) or tachometer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S94	2951	((156/297) or (156/298) or (156/299) or (156/300)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S95	268	(156/360).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S96	408	(156/358).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S97	414	(156/363).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S98	2	plywood and laminat\$3 and (glue near2 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05

S99	77	plywood and laminat\$3 and (adhesive near3 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/28 11:05
S10 0	10	plywood and laminat\$3 and (glue near4 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 11:06
S10 1	1	plywood and laminat\$3 and (glue near2 pattern)	USOCR	OR	OFF	2004/10/28 11:06
S10 2	9	plywood and laminat\$3 and (adhesive near3 pattern)	USOCR	OR	OFF	2004/10/28 11:06
S10 3	2	plywood and laminat\$3 and (glue near2 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 11:06
S10 4	2	("3582428").PN.	USPAT; USOCR	OR	OFF	2004/10/28 11:06
S10 5	60	plywood and laminat\$3 and (variable near4 (press or pressing or pressure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 20:25